Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) An organosilicon compound having alkynol groups and comprising units of the formula



$$(H{-}C{\equiv}C{-}\underset{\displaystyle R^3}{\overset{\displaystyle OH}{\overset{|}{\underset{|}{C}}}}{-}R^4{}_g{-}X{-}R^4{}_h)_e\,R^2{}_f SiO_{(4-e-f)/2} \qquad \text{(III)},$$

in which

R_2 are identical or different and are a hydrogen atom, a radical $-OR^5$, or an optionally substituted hydrocarbon radical,

R^3 are identical or different and are a hydrogen atom, a halogen atom, a radical $-OR^5$, or a monovalent, optionally substituted hydrocarbon radical,

R^4 are identical or different and are a divalent organic radical,

X are identical or different and are -O-, -S-, -OC(=O)-, $-N(R^6)-$ or $-N(R^6)-C(=O)-$,

R^5 are identical or different and are a hydrogen atom or a monovalent, optionally substituted hydrocarbon radical,

R^6 are identical or different and are a hydrogen atom or a monovalent, optionally substituted hydrocarbon radical,

e is 0, 1, 2 or 3,

f is 0, 1, 2 or 3,

g is 0 or a positive integer and

h is 0 or a positive integer,

with the proviso that the sum e+f is less than or equal to 3 and the organosilicon compound has at least one unit of the formula (III) where e is not zero.

2. (Original) The organosilicon compound of claim 1, wherein X is -O-.

3. (Previously Presented) The organosilicon compound of claim 1, wherein the sum $e + f < 3$.

4. (Previously Presented) The organosilicon compound of claim 2, wherein the sum $e + f < 3$.

5. (Previously Presented) A crosslinkable material comprising

(A) one or more compounds which contain radicals having aliphatic carbon-carbon multiple bonds,

(B) at least one organosilicon compound having Si-bonded hydrogen atoms,

(C) at least one organosilicon compound of claim 1 having alkynol groups and containing units of the formula (III),



$$(H{-}C{\equiv}C{-}\underset{\displaystyle R^3}{\overset{\displaystyle OH}{\overset{|}{\underset{|}{C}}}}{-}R^4{}_g{-}X{-}R^4{}_h)_e R^2{}_f SiO_{(4-e-f)/2} \qquad \text{(III)},$$

in which

R_2 are identical or different and are a hydrogen atom, a radical $-OR^5$, or an optionally substituted hydrocarbon radical,

R^3 are identical or different and are a hydrogen atom, a halogen atom, a radical $-OR^5$, or a monovalent, optionally substituted hydrocarbon radical,

R^4 are identical or different and are a divalent organic radical,

X are identical or different and are -O-, -S-, -OC(=O)-, $-N(R^6)-$ or $-N(R^6)-C(=O)-$,

R^5 are identical or different and are a hydrogen atom or a monovalent, optionally substituted hydrocarbon radical,

R^6 are identical or different and are a hydrogen atom or a monovalent, optionally substituted hydrocarbon radical,

e is 0, 1, 2 or 3,

f is 0, 1, 2 or 3,

g is 0 or a positive integer and

h is 0 or a positive integer,

with the proviso that the sum e+f is less than or equal to 4 and the organosilicon compound has at least one unit of the formula (III) where e is not zero, and

(D) at least one catalyst which promotes the addition of Si-bonded hydrogen at an aliphatic multiple bond.

6. (Original) The crosslinkable material of claim 5, wherein at least one component (A) comprises an aliphatically unsaturated organosilicon compound.

7. (Original) The crosslinkable material of claim 5, wherein component (C) is present in an amount of from 0.0001 to 70% by weight, based on the weight of component (A).

8. (Previously Presented) The crosslinkable material of claim 5, comprising:

(A) at least one compound which contain radicals having aliphatic carbon-carbon multiple bonds,

(B) at least one organopolysiloxane having Si-bonded hydrogen atoms,

(C) at least one organopolysiloxane having alkynol groups and containing units of the formula (III) where the sum of e+f $\leq$3,

(D) at least one catalyst which promotes the addition of Si-bonded hydrogen and an aliphatic multiple bond, and

optionally,

(E) reinforcing fillers.

9. (Original) The crosslinkable material of claim 5, comprising:

(A) substantially linear compound(s) which have on average at least two radicals having aliphatic carbon-carbon multiple bonds,

(B) organopolysiloxanes having on average at least two Si-bonded hydrogen atoms,

(C) organopolysiloxanes having alkynol groups and containing units of the formula (III),

(D) at least one catalyst which promotes the addition of Si-bonded hydrogen at an aliphatic multiple bond,

(E) optionally reinforcing fillers,

(F) optionally further components, and

(G) optionally inhibitors and/or stabilizers.

10 - 14. (Cancelled).

15. (Previously Presented) The crosslinkable material of claim 5, wherein the sum of e + f is less than or equal to 3.

16 - 20. (Cancelled).

21. (New) A process for producing a molding, comprising adding to a mold a crosslinkable material comprising:

(A) one or more compounds which contain radicals having aliphatic carbon-carbon multiple bonds,

(B) at least one organosilicon compound having Si-bonded hydrogen atoms,

(C) at least one organosilicon compound of claim 1 having alkynol groups and containing units of the formula (III),



(III),

in which

R_2 are identical or different and are a hydrogen atom, a radical -OR^5, or an optionally substituted hydrocarbon radical,

R^3 are identical or different and are a hydrogen atom, a halogen atom, a radical -OR^5, or a monovalent, optionally substituted hydrocarbon radical,

R^4 are identical or different and are a divalent organic radical,

X are identical or different and are -O-, -S-, -OC(=O)-, -N(R^6)- or -N(R^6)-C(=O)-,

R^5 are identical or different and are a hydrogen atom or a monovalent, optionally substituted hydrocarbon radical,

R^6 are identical or different and are a hydrogen atom or a monovalent, optionally substituted hydrocarbon radical,

e is 0, 1, 2 or 3,

f is 0, 1, 2 or 3,

g is 0 or a positive integer and

h is 0 or a positive integer,

with the proviso that the sum e+f is less than or equal to 4 and the organosilicon compound has at least one unit of the formula (III) where e is not zero, and

(D) at least one catalyst which promotes the addition of Si-bonded hydrogen at an aliphatic multiple bond,

and crosslinking said crosslinkable composition.

22. (New) The process of claim 21, wherein at least one component (A) comprises an aliphatically unsaturated organosilicon compound.

23. (New) The process of claim 21, wherein component (C) is present in an amount of from 0.0001 to 70% by weight, based on the weight of component (A).

24. (New) The process of claim 21, comprising:

(A) at least one compound which contain radicals having aliphatic carbon-carbon multiple bonds,

(B) at least one organopolysiloxane having Si-bonded hydrogen atoms,

(C) at least one organopolysiloxane having alkynol groups and containing units of the formula (III) where the sum of $e+f \leq 3$,

(D) at least one catalyst which promotes the addition of Si-bonded hydrogen and an aliphatic multiple bond, and

optionally,

(E) reinforcing fillers.

25. (New) The process of claim 21, comprising:

(A) substantially linear compound(s) which have on average at least two radicals having aliphatic carbon-carbon multiple bonds,

(B) organopolysiloxanes having on average at least two Si-bonded hydrogen atoms,

(C) organopolysiloxanes having alkynol groups and containing units of the formula (III),

(D) at least one catalyst which promotes the addition of Si-bonded hydrogen at an aliphatic multiple bond,

(E) optionally reinforcing fillers,

(F) optionally further components, and

(G) optionally inhibitors and/or stabilizers.

26. (New) The process of claim 21, wherein component (C) is present in an amount of 0.02 weight percent to about 10 weight percent, based on the weight of component (A).